




竹节灯 Bamboo lantern




竹节灯.1节

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
竹节灯.1节	3W	3000K	直径50*H500	铝材+亚克力透镜	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




竹节灯 Bamboo lantern




竹节灯.2节

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
竹节灯.2节	6W	3000K	直径50*H1000	铝材+亚克力透镜	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




竹节灯 Bamboo lantern



竹节灯.9节

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
竹节灯.9节	9*3W	3000K	直径50*H2700	铝材+亚克力透镜	⊕ AC85-265V	IP65 

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




太阳能草坪灯 Solar Lawn Lamp




HC-T235

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-T235	3W	3000K	直径235*H600	铝材+亚克力罩	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket



太阳能草坪灯 Solar Lawn Lamp



太阳能蘑菇灯
HC-M26

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-M26	7W	3000K	直径260*H300	铝材+亚克力罩	⊕ AC85-265V	IP65 

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



HC-S26

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-S26	7W	3000K	直径260*H600	铝材+亚克力罩	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket



草坪灯 Lawn Lamp




市灯蘑菇灯
HC-M26

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-M26	7W	3000K	直径260*H300	铝材+亚克力罩	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp




HC-H22

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-H22	12W	3000K	直径220*H800	铝材+亚克力罩	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket



柱头灯 Capital Lamp




HC-HM22

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-HM22	12W	3000K	D220*H250	铝材+亚克力罩	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




太阳能草坪灯 Solar Lawn Lamp




HC-L20

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-L20	2*3W	3000K	D200*H350	铝材+PC罩	⊕ AC85-265V	IP65 

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




太阳能草坪灯 Solar Lawn Lamp




HC-L22

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-L22	6W	3000K	D200*H550	铝材+PC罩	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



HC-Z20

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-Z20	12W	3000K	D200*H400	铝材+亚克力	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
L2-65	2*5W	3000K	D50*H1100	铝材+玻璃	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket



草坪灯 Lawn Lamp




HC-Z65



HC-ZD65

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-Z65	2*5W	3000K	L228*W65*H600	铝材+玻璃	⊕ AC85-265V	IP65 ▲▲▲
HC-ZD65	5W	3000K	L146*W65*H600	铝材+玻璃	⊕ AC85-265V	IP65 ▲▲▲

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



HC-F75

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-F75	6W	3000K	D75*H600	铝材+PC	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket



草坪灯 Lawn Lamp




HC-Y46



HC-Y43

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-Y46	7W	3000K	D108*H600	铝材	⊕ AC85-265V	IP65 ▲▲▲
HC-Y43	7W	3000K	D108*H300	铝材	⊕ AC85-265V	IP65 ▲▲▲

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket



草坪灯 Lawn Lamp




HC-F46

HC-F43

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-F46	7W	3000K	WL108*108*H600	铝材	⊕ AC85-265V	IP65
HC-F43	7W	3000K	WL108*108*H300	铝材	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp




HC-CA90

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-CA90	7W	3000K	WL90*90*H600	铝材+亚克力	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




壁灯 Wall lamp



HC-BA90

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-BA90	7W	3000K	WL90*90*H220	铝材+亚克力	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



HC-CB90

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-CB90	7W	3000K	WL90*90*H600	铝材+亚克力	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



HC-CC90

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-CC90	7W	3000K	WL90*90*H600	铝材+亚克力	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




壁灯 Wall lamp





HC-BC90

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-BC90	7W	3000K	WL90*90*H220	铝材+亚克力	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




壁灯 Wall lamp



HC-BS26

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-BS26	2*6W	3000K	WL00*00*H00	不锈钢+亚克力	⊕ AC85-265V	IP65 

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




壁灯 Wall lamp



HC-B

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-B	6W	3000K	W100*00*H00	铝材+PC	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




壁灯 Wall lamp




产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-B	6W	3000K	W110*H150	铝材	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




壁灯 Wall lamp





产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-B	6W	3000K	W120*120*H140	铝材	⊕ AC85-265V	IP65 

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-B	6W	3000K	WL120*120*H600	铝材	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket



草坪灯 Lawn Lamp




HC-2YC-A



HC-2YC-B

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-2YC-A	7W	3000K	D108*H400	铝材	⊕ AC85-265V	IP65 ⚡ ⚡ ⚡
HC-2YC-B	7W	3000K	D108*H600	铝材	⊕ AC85-265V	IP65 ⚡ ⚡ ⚡

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-4MG	16W	3000K	WL120*120*H800	铝材+PC	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-50	5W	3000K	WL50*50*H600	铝材+亚克力	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-AFG	12W	3000K	D140*H800	铝材+亚克力	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-CB04	16W	3000K	D145*H800	铝材+PC	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-WYL	8W	3000K	W85*L50*H600	铝材+PC	⊕ AC85-265V	IP65 

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp




产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-000	0W	3000K	W00*00*H000	铝材+PC	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




壁灯 Wall lamp




产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-CTB	20W	3000K	W88*L44*H1000	铝材+亚克力	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




投光灯 Project-light lamp




产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-B	6W	3000K	W160*H360	铝材+PC	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket



插地灯 Insert ground lamp






产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-B	6W	3000K	W110*H300	铝材	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket



地埋灯 Buried lights




产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-B	6W	3000K	W160*H90	铝材+玻璃	⊕ AC85-265V	IP65 

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp





HC-L29

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-L29	12W	3000K	D130*H300/600	铝材+钢化玻璃	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp




HC-L36

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-L36	10W	3000K	D145*H600	铝材+钢化玻璃	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




伞形灯 Umbrella Lamp



HC-L26

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-L26	5W	3000K	D180*H590/780	铝材+亚克力	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket



壁灯 Wall lamp




HC-L32

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-L32	12W	3000K	D70*H610	铝材+亚克力	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




柱头灯 Capital Lamp





HC-L42

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-L42	7W	3000K	D160*H300	铝材+PC罩	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



HC-L46

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-L46	10W	3000K	D160*H600	铝材+PC罩	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp




HC-030

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-030	10W	3000K	直径220*H600	铝材+亚克力	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




竹节灯 Bamboo lantern



HC-031

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-031-800	14W	3000K	直径75*H800	铝材仿竹	⊕ AC85-265V	IP65 ⚡ ⚡ ⚡
HC-031-600	7W	3000K	直径75*H600	铝材仿竹	⊕ AC85-265V	IP65 ⚡ ⚡ ⚡

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket



草坪灯 Lawn Lamp



HC-032

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-032	12W	3000K	L180*W60*H600	铝材+PC	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp




产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-033	5W*2	3000K	L220*H600	铝材+PC	⊕ AC85-265V	IP65  

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




壁灯 Wall Lamp




HC-034

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-034	12W	3000K	L125*W90*H600	铝材+亚克力灯罩	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




庭院灯 Garden lamp



HC-035

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-035	30W	3000K	L150*W150*H2500	铝材+PC	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




庭院灯 Garden lamp




HC-036

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-036	30W	3000K	直径145*H3000	铝材+PC	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




庭院灯 Garden lamp



HC-037

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-037	48W	3000K	直径145*H3000	铝材+亚克力灯罩	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




草坪灯 Lawn Lamp



HC-038

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-038	5W*2	3000K	L130*H1000	铝材+亚克力灯罩	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




庭院灯 Garden lamp



HC-039

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-039	48W	3000K	直径130*H2500	铝材+亚克力灯罩	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket




庭院灯 Garden lamp



HC-040

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-040	30W	3000K	L150*W100*H3000	铝材+PC	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket



庭院灯 Garden lamp



HC-041

产品名称/型号	功率	色温	尺寸	材质	电压	防护等级
HC-041	60W	3000K	直径145*H3000	铝材+PC	⊕ AC85-265V	IP65

- Body and bracket in die-cast aluminium
- Powder coated with pretreatment for outdoor use
- Clear glass
- Silicon rubber gasket

